

## A

- Aberrations of the Tumor Suppressor p53 Gene and p53 Protein in Solar Keratosis in Human Skin, Taguchi M, Watanabe S, Yashima K, Murakami Y, Sekiya T, Ikeda S, 500
- Abnormal Bcl-2 and "Tissue" Transglutaminase Expression in Psoriatic Skin, Bianchi L, Farrace MG, Nini G, Piacentini M, 829
- Abstracts of the Annual Meeting of the European Society for Dermatological Research, Vienna, September 24-27, 1994, 395, 865
- Abstracts of International Symposium "Mast Cells in the Cytokine Network", Berlin, Germany, October 21-22, 1994, 616
- Abstracts of the 21st Annual Meeting of the Society of Cutaneous Research, Leiden, The Netherlands, April 21-23, 1994, 258
- Abstracts of the International Symposium on Epidermolysis Bullosa, Chapel Hill, North Carolina, April 15-26, 1994, 843
- Abstracts of the Second Annual Meeting of the Canadian Society for Investigative Dermatology, September 18, 1994, 270
- Acid(s)  
   aromatic fatty, 335  
   ascorbic, 228  
   *cis* urocanic, formation, 801  
   fatty, -deficient mouse epidermis, 834  
   palmitic, 564  
   retinoic  
     receptor genes, 116  
     upregulation of human Langerhans cell antigen presentation in, 775
- Acrodermatitis chronica atrophicans, 19
- Activated eosinophils in lesional atopic dermatitis skin, 589
- Acute cutaneous graft-versus-host reaction, histologic features, 206
- Adhesion molecules, microvascular endothelial, 300
- Albinism, oculocutaneous  
   molecular basis, 131S  
   prenatal diagnosis, 104
- Alleles, leukocyte antigen-DQB1\*03, 758
- Allergen(s) contact, diphenylcyclopropanone, 530
- Allergic contact hypersensitivity, 811
- Allogeneic rodent model, 206
- Alopecia areata, 387, 530
- $\alpha_v\beta_3$  integrin complex, 295
- Aminoterminal domain, extracellular, of bovine desmoglein 1, 173
- Amniotic fluid cells, skin-derived, 674
- Anagen  
   induction, 122  
   in rat hair follicles, intact, 715  
   skin, 112
- Analysis of Skin-Derived Amniotic Fluid Cells in the Second Trimester; Detection of Severe Genodermatoses Expressed in the Fetal Period, Akiyama M, Holbrook KA, 674
- Analysis of the Nucleotide Sequence Variation of the Antigen-Binding Domain of DR $\alpha$  and DQ $\alpha$  Molecules as Related to the Evolution of Papillomavirus-Induced Warts in Rabbits, Han R, 376 Breitburd F, Marche PN, Orth G, 376
- Androgen Receptor Expression in the Preputial Gland and Its Sebocytes, Miyake K, Ciletti N, Liao S, Rosenfield RL, 721
- Angiogenic oligosaccharides of hyaluronan, 576
- Annual Meeting of the European Society for Dermatological Research, Vienna, September 24-27, 1994, 395
- Antagonist gene, interleukin-1 receptor, 387
- Anti-inflammatory agents, topical, 642
- Antigen(s)  
   -bearing Langerhans cells, 217  
   -binding domain of DR $\alpha$  and DQ $\alpha$  molecules, 376  
   B7/BB1 activation, 539  
   DQB1\*03 leukocyte alleles, 758  
   *fas*, 330  
   gene, 230-kDa bullous pemphigoid, 651  
   Langerhans cell, 775  
   97-kD, 656  
   pemphigus vulgaris, 168

- psoriasis inheritance, 150S  
   requiring processing, 42
- Antigen-Bearing Langerhans Cells in Skin Draining Lymph Nodes: Phenotype and Kinetics of Migration, van Wilsem EJJ, Brevé J, Kleijmeer M, Kraal G, 217
- Antioxidants, 791
- Antisense oligonucleotides, phosphorothionate, 569
- Apoptosis, 330
- Appendageal development, 482
- Application of Angiogenic Oligosaccharides of Hyaluronan Increase Blood Vessel Numbers in Rat Skin, Sattar A, Rooney P, Kumar S, Pye D, West DC, Scott I, Ledger P, 576
- Approaches to Gene Transfer in Keratinocytes, Fenjves ES, 70S
- Are Atypical Nevi a Risk Factor for Uveal Melanoma? A Case-Control Study, van Hees CLM, de Boer A, Jager MJ, Bleeker JC, Kakebeeke HM, Crijns MB, Vandenbroucke JP, Bergman W, 202
- Aromatic fatty acids, 335
- Ascorbic acid, 228
- Atopic dermatitis, lesional, skin, 589
- Atypical  
   multiple mole-melanoma syndrome, 122S  
   nevi, 202
- Autoantibody specificities in paraneoplastic pemphigus and pemphigus vulgaris, 65
- Autoantigen 105-kDa lamina lucida, 78
- Autoimmune diseases, 150S
- Autosomal dominant ichthyosis exfoliativa, 282
- Azelastine hydrochloride, 49

## B

- Balb/c mice, 797
- Barrier  
   disruption, acute, 834  
   function, 780
- Basal cell carcinoma syndrome, 178, 126S
- Basement membrane, 637
- Basic Fibroblast Growth Factor Increases Expression of the  $\alpha_v\beta_3$  Integrin Complex on Human Microvascular Endothelial Cells, Sepp NT, Li L-J, Lee KH, Brown EJ, Caughman SW, Lawley TJ, Swerlick RA, 295
- Bcl-2  
   protooncogene expression and, 107  
   "tissue" transglutaminase, 829
- $\beta_2$  integrin, 775
- Binding of Keratin Intermediate Filaments (K10) to the Cornified Envelope in Mouse Epidermis: Implications for Barrier Function, Ming ME, Daryanani HA, Roberts LP, Baden HP, Kvedar JC, 780
- Biochemical characterization of two siblings, 154S
- Biphasic Effect of 1,25-Dihydroxyvitamin D<sub>3</sub> on Human Hair Follicle Growth and Hair Fiber Production in Whole-Organ Cultures, Harmon CS, Nevins TD, 318
- Birbeck granules, lack of, 807
- Blood  
   flow, cutaneous, abnormalities in hypertriglyceridemia, 597  
   peripheral, mononuclear cells, 73  
   vessel numbers in rat skin, 576
- Borrelia burgdorferi*, 19
- BPAG1, 73
- Bryostatins-1, 364
- B7 costimulatory molecule, 54
- B7/BB1 activation antigen, 539
- Bullosa  
   epidermolysis  
     international symposium on, 845  
     simplex, 25S  
   ichthyosis, Siemens, 277, 282, 286

Bullous  
dermatosis, 656  
pemphigoid  
antigen gene 230-kDa, mouse, 651  
association with novel 105-kDa lamina lucida autoantigen, 78  
peripheral blood mononuclear cells from patients with, 73

Burn  
injury, 660  
porcine, 352  
wound  
fluid, 155  
human, 488, 660

**C**

Cadherins, classical, 168  
Calcium, 323, 370  
Cancer  
defective DNA repair and, 96S  
skin, 747, 751  
Carcinogenesis  
aberrations of the tumor suppressor p53 gene and p53 protein, 500  
multistage, 90S  
relationship between ultraviolet radiation-induced immunosuppression and, 109S  
skin, 102S  
viral, 376  
Carcinoma syndrome, nevoid basal cell, 178, 126S  
Catagen, 143  
Cathepsin G, 583  
Cationic Lipid is Not Required for Uptake and Selective Inhibitory Activity of ICAM-1 Phosphorothionate Antisense Oligonucleotides in Keratinocytes, Nestle FO, Mitra RS, Bennett CF, Chan H, Nickoloff BJ, 569  
CD11c, 775  
Cell(s)  
amniotic fluid, 674  
basal, in nevoid carcinoma syndrome, 178  
death, UVB-induced, 547  
dermal, cultured murine, 162  
endothelial  
dermal microvascular, 23  
human microvascular, 295  
human  
dermal microvascular endothelial, 23  
endothelial, 23  
Langerhans  
antigen-bearing, 217  
antigen, 775  
cultured human epidermal, 54  
human resident, 516  
epidermal  
in AIDS patients, 593  
lacking Birbeck granules, 807  
-like, interstitial dendritic antigen-presenting, 678  
lines, keratinocyte, 627  
lymphoblastoid, 7  
mast  
immature, monocyte-derived, 504  
numbers, 797  
rat, protease I, 84  
mediated  
cytokine profile, Th1 and Th2 type, 29  
lysis, 117S  
melanoma, human cultured, 335  
metabolism, 84  
mononuclear, peripheral blood, 73  
murine, melanoma, 820  
nevoid basal, 126S  
stromal, 162  
T  
activation of  $\beta 2$  integrin involved in, 775  
clonal receptors, 34  
lymphomas, 134  
receptor s,  $\gamma\delta$ -bearing, 347  
Thy-1<sup>+</sup> dendritic epidermal, 290  
thymic nurse, 162

Central nervous system imaging, 154S  
C-fos, 323  
Characterization of Low-Temperature (i.e., >65°C) Lipid Transitions in Human Stratum Corneum, Gay CL, Guy RH, Golden GM, Mak VHW, Francoeur ML, 233  
Chloroquine, 42  
Chromosome 1, 122S  
Chromosome 9, 122S  
Chromosome 9q, 178  
Chromosome 12q, 478, 665  
*cis* urocanic acid formation, 801  
Clonal T-cell receptors,  $\gamma$  gene arrangements, 34  
Cockayne syndrome, 96S  
Collagen synthesis, 228  
Collagenase  
expression, decreased, 359  
immunolocalization, in healing human burn wounds, 488  
Collagenous triple helix, 637  
Comparative Cytokine Release from Human Monocytes, Monocyte-Derived Immature Mast Cells, and a Human Mast Cell Line (HMC-1), Grabbe J, Welker P, Möller A, Dippel E, Ashman LK, Czarnetzki BM, 504  
Confocal Microscopic Analysis of Integrin Expression on the Microvasculature and Its Sprouts in the Neonatal Foreskin, Enenstein J, Kramer RH, 381  
Connexins, mammalian, in human skin, 240  
Contact  
allergen diphenylcyclopropanone, 530  
hypersensitivity  
allergic, 811  
immunosuppressive effects of azelastine hydrochloride, 49  
*in vivo* effects of interleukin-10 on, 211  
sensitization, 524  
Corneum, stratum  
human, low-temperature lipid transitions in, 233  
moisturization, 730  
Cornified envelope in mouse epidermis, 780  
Corticosterone, 60  
CRABP II expression in human skin, 785  
C3H/HeJ mice, 797  
C3H/HeN mice, 797  
C3H/Tif hr/hr mice, 97  
Cultured  
blood flow abnormalities, 597  
human  
epidermal Langerhans cells, 54  
keratinocytes  
TGF  $\beta 1$  gene expression in, 127  
substance P in, 605  
melanoma cells, 335  
keratinocytes, 13, 187  
murine dermal cells, 162  
normal human keratinocytes, 187  
systemic sclerosis fibroblasts, 359  
Cultured Murine Dermal Cells Can Function Like Thymic Nurse Cells, Aiba S, Nakagawa S, Hara M, Tomioka Y, Deguchi M, Tagami H, 162  
Cutaneous  
blood flow abnormalities, 597  
graft-versus-host reaction, acute, histologic features of, 206  
melanoma, 112S  
neoplasia, 482  
T-cell lymphoma, 134, 669  
wounds, re-epithelialization of, 221  
Cutaneous Blood Flow Abnormalities in Hypertriglyceridemia, Tur E, Politi Y, Rubinstein A, 597  
Cuticle, hair, 310  
Cutis laxa acquisita, 583  
Cycling adult mouse hair follicle, 107  
Cyclosporin A, 143  
Cysteine-rich keratin family in the hair cuticle, 310  
Cytokine  
gene expression in rat hair follicles, 715  
mRNA levels in, 834  
profile, Th1- and Th2-type, cell-mediated, 29  
release from human monocytes, 504  
Cytokine Gene Expression in Intact Anagen Rat Hair Follicles, Little JC, Westgate GE, Evans A, Granger SP, 715

Cytokine mRNA Levels in *Alopecia Areata* Before and After Treatment with the Contact Allergen Diphenylcyclopropenone, Hoffmann R, Wenzel E, Huth A, van der Steen P, Schäufele M, Henninger H-P, Happle R, 530

## D

Darier's disease  
  localization of the gene for, 478  
  locus on chromosome 12q, 665  
Decarboxylase, human ornithine, 687  
Decreased Collagenase Expression in Cultured Systemic Sclerosis Fibroblasts, Takeda K, Hatamochi A, Ueki H, Nakata M, Oishi Y, 359  
Degrees of UVB-Induced Erythema and Pigmentation Correlate Linearly and Are Reduced in a Parallel Manner by Topical Anti-Inflammatory Agents, The, Takiwaki H, Shirai S, Kohno H, Soh H, Arase S, 642  
Delayed-type hypersensitivity reactions, 211  
Deleted HTLV Retrovirus May Be Involved in the Development of Cutaneous T-Cell Lymphomas, *letter*, D'Incan M, Souteyrand P, Gasmi M, Desgranges C, 134  
Denaturing gradient gel electrophoresis (PCR/DGGE), 34  
Dendritic epidermal cells, Thy-1<sup>+</sup>, 290  
Dermal  
  -epidermal junction, 13S  
  fibroblasts  
    normal, 684  
    relation of donor age to, 228  
  invasion, matrilysin correlation with, 482  
  macrophages, 678  
  microvascular endothelial cells, human, 23  
Dermatitis skin, lesional atopic, 589  
Dermatology, evolution of investigative, 3  
Dermatosis, bullous linear IgA, 656  
Dermis, murine, 678  
Desmoglein, 168  
Detachment of Cultured Normal Human Keratinocytes by Contact with TNF $\alpha$ -Stimulated Neutrophils in the Presence of Platelet-Activating Factor, Katayama H, Hase T, Yaoita H, 187  
Detection of Clonal T-Cell Receptor  $\gamma$  Gene Rearrangements in Early Mycosis  
Fungoides/Sezary Syndrome by Polymerase Chain Reaction and Denaturing Gradient Gel Electrophoresis (PCR/DGGE), Wood GS, Tung RM, Haeflner AC, Crooks CF, Liao S, Orozco, Veelken H, Kadin ME, Koh H, Heald P, Barnhill RL, Sklar J, 34  
Development of Ribozymes for Gene Therapy, Sullivan SM, 85S  
Dexamethasone, 143  
Diabetic mouse, 469  
Dietary Fish-Oil Supplementation in Humans Reduces UVB-Erythema Sensitivity but Increases Epidermal Lipid Peroxidation, Rhodes LE, O'Farrell S, Jackson MJ, Friedmann PS, 151  
Differential Expression of Genes Encoding a Cysteine-Rich Keratin Family in the Hair Cuticle, Jenkins BJ, Powell BC, 310  
Differential Photoimmunoprotection by Sunscreen Ingredients Is Unrelated to Epidermal *cis* Urocanic Acid Formation in Hairless Mice, Reeve VE, Boehm-Wilcox C, Bosnic M, Reilly WG, 801  
Differential Vascular Response to Laser Photothermolysis, Kimel S, Svaa-sand LO, Hammer-Wilson M, Schell MJ, Milner TE, Nelson JS, Berns MW, 693  
Differentiation of Cultured Human Melanoma Cells Induced by the Aromatic Fatty Acids Phenylacetate and Phenylbutyrate, Liu L, Shack S, Stetler-Stevenson WG, Hudgins WR, Samid D, 335  
Diphenylcyclopropenone, 530  
Dissociation of Erythema and p53 Protein Expression in Human Skin Following UVB Irradiation, and Induction of p53 Protein and mRNA Following Application of Skin Irritants, Healy E, Reynolds NJ, Smith MD, Campbell C, Farr PM, Rees JL, 493  
Distinction of Class II MHC<sup>+</sup> Langerhans Cell-Like Interstitial Dendritic Antigen-Presenting Cells in Murine Dermis from Dermal Macrophages, Duraiswamy N, Tse Y, Hammerberg C, Kang S, Cooper KD, 678  
Distribution of Constitutive Nitric Oxide Synthase Immunoreactivity and NADPH-Diaphorase Activity in Murine Telogen and Anagen Skin, Dippel E, Mayer B, Schof&ndieresis&nfelder G, Czarnetzki BM, Paus R, 112  
DNA  
  fragmentation, 829

  repair  
    defective, and cancer, 96S  
    enzymes in liposomes, localization of, 461  
Does Atopic Dermatitis Result from Cytokine Dysregulation?, *letter*, Dupuy P, 741  
DQ $\alpha$ , 376  
DQB1\*03 antigen, 758  
DR<sup>+</sup>CD1<sup>+</sup>,  
DR<sup>+</sup>CD1<sup>-</sup>CD36<sup>+</sup>, and DR<sup>-</sup>CD3<sup>+</sup>, 524  
Draining skin lymph nodes, 217  
DR $\alpha$ , 376  
Dsg 1, 173  
Dysplastic  
  nervi, 707  
  nevus syndrome, 96S  
Dystrophic epidermolysis bullosa, 39S

## E

Editor's Report for 1993, *journal report*, 866  
Effect of TGF- $\beta$ 1 on Re-Epithelialization of Human Keratinocytes *In Vitro*: An Organotypic Model, Garlick JA, Taichman LB, 554  
Effects of Ascorbic Acid on Proliferation and Collagen Synthesis in Relation to the Donor Age of Human Dermal Fibroblasts, Phillips CL, Combs SB, Pinnell SR, 228  
Effects of 1,25 Dihydroxyvitamin D<sub>3</sub> and Calcium on Growth and Differentiation and on *C-fos* and P53 Gene Expression in Normal Human Keratinocytes, Sebag M, Gulliver W, Kremer R, 323  
Ehlers-Danlos Syndrome: Recent Advances and Current Understanding of the Clinical and Genetic Heterogeneity, Byers PH, 47S  
Elafin/SKALP gene expression, 89  
Elastase  
  leukocyte, 89  
  neutrophil, 155  
Elastic fibers, 53S  
Elastin  
  expression in photodamaged skin, 182  
  human, gene promoter activity in transgenic mice, 632  
  production in cutis laxa acquisita, 583  
Elastin Production and Degradation in Cutis Laxa Acquisita, Fornieri C, Quaglini D, Lungarella G, Cavarra E, Tiozzo R, Giro MG, Canciani M, Davidson JM, Ronchetti IP, 583  
Elevated Levels of PDGF  $\alpha$  Receptors in Keloid Fibroblasts Contribute to an Enhanced Response to PDGF, Haisa M, Okochi H, Grotendorst GR, 560  
ELISA, 13  
Endonuclease, T4, 461  
Endothelial  
  adhesion molecules, microvascular, 300  
  cells, dermal microvascular, 23, 29S  
Enhanced Elastin and Fibrillin Gene Expression in Chronically Photodamaged Skin, Bernstein EF, Chen YQ, Tamai K, Shepley KJ, Resnik KS, Zhang H, Tuan R, Mauviel A, Uitto J, 182  
Enzymes for DNA repair in liposomes, localization of, 461  
Epidermal  
  *cis* urocanic acid formation, 801  
  cells, Thy-1<sup>+</sup>, 290  
  dermal junction, 13S  
  growth, regenerative, 601  
  human  
    cells, DR<sup>+</sup>CD1<sup>+</sup>,  
    DR<sup>+</sup>CD1<sup>-</sup>CD36<sup>+</sup>, and DR<sup>-</sup>CD3<sup>+</sup>, 524  
    keratinocytes, 547, 791  
    Langerhans cells, 54, 593, 807  
    lipid peroxidation, 151  
    melanogenesis, 97  
    murine V $\gamma$ 1/V $\delta$ 6-TCR<sup>+</sup> hybridoma, 544  
Epidermal Differentiation Enhances CRABP II Expression in Human Skin, Eller MS, Harkness DD, Bhawan J, Gilchrist BA, 785  
Epidermal Langerhans cells, human, 54  
Epidermal Langerhans Cells of AIDS Patients Express HIV-1 Regulatory and Structural Genes, Henry M, Uthman A, Ballaun C, Stingl G, Tschachler E, 593  
Epidermis  
  gene therapy and, 63S  
  gene transfer into cultured human, 391

- genetic disorders of, 6S  
migration of Thy-1<sup>+</sup> DEC to, 290  
mouse, normal, 834  
normal, 815  
psoriatic, 89
- Epidermis: An Attractive Target Tissue for Gene Therapy, Greenhalgh DA, Rothnagel JA, Roop DR, 63S
- Epidermolysis bullosa  
dystrophic, 39S  
international symposium on, 84S  
junctional, 30S, 39S  
simplex, 25S
- Epidermolytic hyperkeratosis  
genetic basis of, 25S  
palmoplantar, 474
- Epiligrin, defects in expression, 30S
- Epithelial skin tumors, 341
- Eponym, 257
- Erythema  
migrans, 19  
p53 protein expression and, 493
- European Society for Investigative Dermatology, Meeting Minutes, 86S
- Evolution of investigative dermatology, 3
- Experimental Photoaging in C3H/HeN, C3H/HeJ, and Balb/c Mice: Comparison of Changes in Extracellular Matrix Components and Mast Cell Numbers, Kochevar IE, Moran M, Granstein RD, 797
- Expression and Distribution of Transforming Growth Factor- $\alpha$  Within Melanocytic Lesions, Nanney LB, Coffey RJ Jr, Ellis DL, 707
- Expression and Function of Nerve Growth Factor and Nerve Growth Factor Receptor on Cultured Keratinocytes, Pincelli C, Sevnigani C, Manfredini R, Grande A, Fantini F, Bracci-Laudiero L, Aloe L, Ferrari S, Cossarizza A, Giannetti A, 13
- Expression of B7 Costimulatory Molecule in Cultured Human Epidermal Langerhans Cells Is Regulated at the mRNA Level, Girolomoni G, Zambruno G, Manfredini R, Zacchi V, Ferrari S, Cossarizza A, Giannetti A, 54
- Expression of Fas Antigen on Keratinocytes *In Vivo* and Induction of Apoptosis in Cultured Keratinocytes, Sayama K, Yonehara S, Watanabe Y, Miki Y, 330
- Expression of mRNA for Transforming Growth Factor- $\beta_1$  Is Reduced in Hypertrophic Scar and Normal Dermal Fibroblasts Following Serial Passage *In Vitro*, Ghahary A, Shen YJ, Scott PG, Tredget EE, 684
- Expression of the bcl-2 Protooncogene in the Cycling Adult Mouse Hair Follicle, Stenn KS, Lawrence L, Veis D, Korsmeyer S, Seiberg M, 107
- Expression of the B7/BB1 Activation Antigen and its Ligand CD28 in T-Cell-Mediated Skin Diseases, Simon JC, Dietrich A, Mielke V, Wuttig C, Vanscheidt W, Linsley PS, Schöpf E, Sterry W, 539
- Expression of the Homeobox Gene *HOXC4* in Keratinocytes of Normal Skin and Epithelial Skin Tumors Is Correlated with Differentiation, Rieger E, Bijl JJ, van Oostveen JW, Soyer HP, Oudejans CBM, Jiwa NM, Walboomers JMM, Meijer CJLM, 341
- Extracellular matrix components, 797
- Extracellular Amino-terminal Domain of Bovine Desmoglein 1 (Dsg1) Is Recognized Only by Certain Pemphigus Foliaceus Sera, Whereas Its Intracellular Domain Is Recognized by Both Pemphigus Vulgaris and Pemphigus Foliaceus Sera, Dmochowski M, Hashimoto T, Amagai M, Kudoh, Shimizu N, Koch PJ, Franke WW, Nishikawa T, 173
- Extracellular Domain of Pemphigus Vulgaris Antigen (Desmoglein 3) Mediates Weak Hemophilic Adhesion, Amagai M, Kárpáti S, Klaus-Kovtun V, Udey MC, Stanley JR, 608
- F**
- Fatty acid(s)  
aromatic, 33S  
-deficient  
keratinocytes, 564  
mouse epidermis, 834
- Fetal  
period, severe genodermatoses in, 674  
tyrosinase gene, 104
- Fiber(s)  
elastic, 53S  
hair, production, 318
- Fibrillin, 182
- Fibroblast(s)  
bryostatin-1, 364  
cultured systemic sclerosis, 359  
dermal, relationship of donor age to, 228  
growth factor, 29S  
keloid, 560  
normal dermal, 684
- Fibronectin  
binding to type VII collagen, 637  
degradation, 15S
- Filaments, keratin intermediate, 19S
- Fine Mapping of the Darier's Disease Locus on Chromosome 12q, Richard G, Wright AR, Harris S, Doyle SZ, Korge B, Mazzanti C, Tanaka T, Harth W, McBride OW, Compton JG, Bale SJ, DiGiovanna JJ, 66S
- Fine Mapping of the Locus for Nevroid Basal Cell Carcinoma Syndrome on Chromosome 9q, Compton JG, Goldstein AM, Turner M, Bale AE, Kearns KS, McBride OW, Bale SJ, 178
- Fish-oil, dietary, supplementation in humans, 151
- FK-506, 49
- Follicle(s), hair  
human  
growth, 318  
involucrin mRNA abundance, 81S  
isolated, 191  
intact anagen rat, 71S  
mouse, 107, 122  
regression, 143
- Foreskin, neonatal, 381
- From Fluorescence to the Gene: The Skin in the Marfan Syndrome, Godfrey M, 58S
- Functional and Immunoreactive Thrombomodulin Expressed by Keratinocytes, Mizutani H, Hayashi T, Nouchi N, Ohyanagi S, Hashimoto K, Shimizu M, Suzuki K, 82S
- Fungoides, mycosis, 29, 34
- Functional Human Epidermal Langerhans Cells that Lack Birbeck Granules, Mommaas M, Mulder A, Vermeer BJ, Koning F, 807
- Furocoumarins, topical, 97
- G**
- Gelatinase, 72-kDa, 352
- Gene(s)  
arrangements, clonal T-cell receptors,  $\gamma$ , 34  
cytokine, 71S  
Darier disease, 478  
encoding a cysteine-rich keratin family in the hair cuticle, 310  
expression  
cytokine, 71S  
elafin/SKALP, 89  
suppression, human ornithine decarboxylase, 687  
fetal tyrosinase, 104  
HIV-1, regulatory and structural, 593  
*HOXC4*, 341  
human  
elastin, promoter activity in transgenic mice, 632  
transglutaminase 3, 137  
interleukin-1 receptor antagonist, 387  
interleukin-6 expression in human keratinocytes, 92  
keratin  
2c, 286  
type II cluster, 282  
p53  
aberrations of, 500  
expression, 323  
psoriasis, inheritance of, 150S  
retinoic acid receptor, 116  
T-cell receptor  $V\beta$  gene usage, 751  
therapy  
epidermis as target tissue for, 63S  
ribozymes, development, 85S  
somatic, experimental model for, 391  
transfer, 391, 70S



- tumor  
 suppressor, 684, 1025  
 in multistage carcinogenesis, 905  
 230-kDa bullous pemphigoid antigen, 651  
 type VII and kalinin (laminin 5), 39S
- Gene Transfer into Cultured Human Epidermis and Its Transplantation onto Immunodeficient Mice: An Experimental Model for Somatic Gene Therapy, Jensen UB, Jensen TG, Jensen PKA, Rygaard J, Hansen BS, Fogh J, Kølvræ S, Bolund L, 391
- Genetic(s)  
 alterations, 747  
 approach to considerations of systemic lupus erythematosus, 144S  
 atypical multiple mole-melanoma syndrome, of, 122S  
 bases, 25S  
 cutaneous melanoma, of, 112S  
 epidermis disorders, 6S  
 linkage, 282  
 molecular, 2S  
 skin disorders, 13S
- Genetic Alterations in Non-Melanoma Skin Cancer, Rees J, 747
- Genetic Bases of Epidermolysis Bullosa Simplex and Epidermolytic Hyperkeratosis, Fuchs E, Coulombe P, Cheng J, Chan Y-m, Hutton E, Syder A, Degenstein L, Yu Q-C, Letai A, Vassar R, 25S
- Genetic Linkage of the Keratin Type II Gene Cluster with Ichthyosis Bullosa of Siemens  
 and with Autosomal Dominant Ichthyosis Exfoliativa, Steijlen PM, Kremer H, Vakilzadeh F, Happle R, Lavrijsen APM, Ropers H-H, Mariman ECM, 282
- Genetically diabetic mouse, 469
- Genetically Modified Skin to Treat Disease: Potential and Limitations, Krueger GG, Morgan JR, Jorgensen CM, Schmidt L, Li HL, Kwan MK, Boyce ST, Wiley HS, Kaplan J, Petersen MJ, 76S
- Genetics of Cutaneous Melanoma, Meyer LJ, Zone JH, 112S
- Genetics of Seven Dutch Familial Atypical Multiple Mole-Melanoma Syndrome Families: A Review of Linkage Results Including Chromosomes 1 and 9, Bergman W, Gruis NA, Sandkuijl LA, Frants RR, 122S
- Genodermatosis(es)  
 adult, 66S  
 in the fetal period, detection of severe, 674
- Gland(s)  
 nasal, development, 116  
 preputial, 721  
 sebaceous, 60
- Glucocorticosteroids Up-Regulate Human Elastin Gene Promoter Activity in Transgenic Mice, Ledo I, Wu M, Katchman S, Brown D, Kennedy S, Hsu-Wong S, Uitto J, 632
- GM-CSF Activates Regenerative Epidermal Growth and Stimulates Keratinocyte Proliferation in Human Skin *In Vivo*, Braunstein S, Kaplan G, Gottlieb AB, Schwartz M, Walsh G, Abalos RM, Fajardo TT, Guido LS, Krueger JG, 601
- Gorlin syndrome, 126S
- Graft-versus-host reaction, 206
- Granules, Birbeck, 807
- Growth factor-I, 627

## H

- Hair  
 cuticle, 310  
 cycle in mouse follicles, 122  
 fiber production, 318  
 follicle(s)  
 human  
 isolated, 191  
 growth in, 318  
 involucrin mRNA abundance in, 81S  
 intact anagen rat, 71S  
 mouse, 107, 122  
 regression, 143  
 growth of mouse vibrissae, 306  
 vibrissa follicle development in, 116
- Hairless mice, 801
- Healing, wound(s)  
 human burn, 488  
 in the genetically diabetic mouse, reduced and delayed, 469

- Heat shock  
 modulation of UVB-induced cell death, 547  
 protein HSP-60, 544
- Heat Shock Modulates UVB-Induced Cell Death in Human Epidermal Keratinocytes: Evidence for a Hyperthermia-Inducible Protective Response, Maytin EV, Wimberly JM, Kane KS, 547
- Helix, triple, collagenous, 637
- Hemidesmosomes, 656, 31S
- Hemostasis, 693
- Heparin and Its Non-Anticoagulant Analogues Inhibit Human Keratinocyte Growth Without Inducing Differentiation, Pillai S, Gilliam L, Conrad HE, Holleran WM, 647
- Hepatocyte Growth Factor/Scatter Factor Stimulates Hair Growth of Mouse Vibrissae in Organ Culture, Jindo T, Tsuboi R, Imai R, Takamori K, Rubin JS, Ogawa H, 306
- Heterogeneity of Ehlers-Danlos syndrome, clinical and genetic, 47S
- High-Molecular-Weight Forms of Tyrosinase and the Tyrosinase-Related Proteins: Evidence for a Melanogenic Complex, Orlow SJ, Zhou B-K, Chakraborty AK, Drucker M, Pifko-Hirst S, Pawelek JM, 196
- Historical Overview of the Evolution of Investigative Dermatology (1775-1993), Baer RL, 3
- HIV-1 regulatory and structural genes, 593
- HLA-DR, 77S
- HMC-1, 504
- Homeobox gene HOXC4, 341
- HOXC4, 341
- HTLV retrovirus, deleted, 134
- Human  
 burn wounds, 488, 660  
 dermal microvascular endothelial cells, 23  
 elastin gene promoter activity in transgenic mice, 632  
 epidermal  
 DR<sup>+</sup>CD1<sup>+</sup>,  
 DR<sup>+</sup>CD1<sup>-</sup>CD36<sup>+</sup>, and  
 DR<sup>-</sup>CD3<sup>+</sup> cells, 524  
 keratinocytes, 547, 791  
 Langerhans cells, cultured, 54  
 hair  
 follicles, 81S  
 growth, 318  
 involucrin mRNA abundance, 81S  
 isolated, 191  
 intercellular adhesion molecule-1, *in vitro*, 726  
 keratinocyte(s)  
 c-fos and p53 gene expression in, 323  
 cultured  
 growth of, 647  
 interleukin-8 production in, 509  
 normal, 187  
 substance P in, 60S  
 TGF  $\beta$ 1 gene expression in, 127  
 phorbol esters in, 687  
 post-transcriptional regulation of interleukin-6 gene expression in, 92  
 Langerhans cells, 516  
 leukocyte antigen-DQB1\*03 alleles, 758  
 mast cell line, 504  
 melanocytes, proliferation inhibition, 148  
 melanoma  
 cells, cultured, 33S  
 natural killers, cell-mediated lysis in, 117S  
 microvascular endothelial cells, 29S  
 monocytes, 504  
 ornithine decarboxylase gene expression, suppression of, 687  
 papillomavirus infection, 248  
 piebaldism, molecular basis of, 136S  
 skin  
 CRABP II expression, 78S  
 keratinocyte proliferation, stimulation of, 601  
 solar keratosis of, 500  
 topical retinaldehyde effects on, 770  
 topography of mammalian connexins, 240  
 stratum corneum, low-temperature lipid transitions in, 233  
 transglutaminase 3 gene, 137  
 wound environment, analysis of, 660
- Human Leukocyte Antigen-DQB1\*03 Alleles Are Associated with Alopecia Areata, Welsh EA, Clark HH, Epstein SZ, Reveille JD, Duvic M, 758

- Human Resident Langerhans Cells Display a Lysosomal Compartment Enriched in MHC Class II, Kleijmeer MJ, Oorschot VMJ, Geuze HJ, 516
- Hybridoma, murine, 544
- Hydrochloride, azelastine, 49
- Hydroxylase, lysyl, 228
- Hyperkeratosis, epidermolytic  
genetic basis of, 255  
palmoplantar, 474
- Hypermutability, ultraviolet, of a shuttle vector plasmid, 7
- Hypersensitivity  
contact  
allergic, 811  
immunosuppressive effects of azelastine hydrochloride on, 49  
interleukin-10, *in vivo* effects on, 211
- Hyperthermia-inducible protective response to cell death, 547
- Hypertriglyceridemia, cutaneous blood flow abnormalities in, 597
- Hypertrophic scar tissue, 684
- Hypomelanosis of Ito: A Description, Not a Diagnosis, Sybert VP, 141S

## I

- IBS, 277, 282
- ICAM-1  
phosphorothionate antisense oligonucleotides in keratinocytes, 569  
selective upregulation of, 23  
suppressive effect of antioxidants, 791
- Ichthyosis  
bullosa of Siemens, 282, 286  
exfoliativa, 282
- Ichthyosis Bullosa of Siemens—A Disease Involving Keratin 2e, McLean WHI, Morley SM, Lane EB, Eady RAJ, Griffiths WAD, Paige DG, Harper JI, Higgins C, Leigh IM, 277
- Ichthyosis Bullosa of Siemens Is Caused by Mutations in the Keratin 2e Gene, Kremer H, Zeeuwen P, McLean WHI, Mariman ECM, Lane EB, van de Kerkhof PCM, Ropers H-H, Steijlen PM, 286
- Identification of Neutrophil Elastase as the Proteinase in Burn Wound Fluid Responsible for Degradation of Fibronectin, Grinnell F, Zhu M, 155
- IGFBP-3, 627
- Immunodeficient mice, 391
- Immunogold  
labeling, 656  
localization of 97-kD antigen, 656
- Immunogold Localization of the 97-kD Antigen of Linear IgA Bullous Dermatitis (LABD) Detected with Patients' Sera, Haftek M, Zone JJ, Taylor TB, Kowalewski C, Chorzelski TP, Schmitt D, 656
- Immunohistochemical Demonstration of Keratin 19 Expression in Isolated Human Hair Follicles, Narisawa Y, Hashimoto K, Kohda H, 191
- Immunohistochemistry, 500
- Immunolocalization of Collagenase and TIMP in Healing Human Burn Wounds, Stricklin GP, Nanney LB, 488
- Immunoreactive  
protein, 589  
thrombomodulin, 825
- Immunosuppressive Effects of Azelastine Hydrochloride on Contact Hypersensitivity and T-Cell Proliferative Response: A Comparative Study with FK-506, Furue M, Osada A, Chang C-H, Tamaki K, 49
- In This Issue, 1, 135, 275, 459, 524, 625, 745
- Increases in Human Epidermal DR<sup>+</sup>CD1<sup>+</sup>, DR<sup>+</sup>CD1<sup>-</sup>CD36<sup>+</sup>, and DR<sup>-</sup>CD3<sup>+</sup> Cells in Allergic Versus Irritant Patch Test Responses, Gerberick GF, Rheins LA, Ryan CA, Ridder GM, Haren M, Miller C, Oelrich DM, von Barga E, 524
- Inducibility and Expression of Microvascular Endothelial Adhesion Molecules in Lesional, Perilesional, and Uninvolved Skin of Psoriatic Patients, Petzelbauer P, Pober JS, Keh A, Braverman IM, 300
- Induction of Keratinocyte Growth Factor Expression Is Reduced and Delayed During Wound Healing in the Genetically Diabetic Mouse, Werner S, Breeden M, Hübner G, Greenhalgh DG, Longaker MT, 469
- Infections, human papillomavirus, 248
- Inhibition of Melanogenesis for Melanoma Therapy?, *letter*, Slominski AT, Paus R, 742
- Inhibition of Proliferation of Human Melanocytes by a *KIT* Antisense Oligodeoxynucleotide: Implications for Human Piebaldism and Mouse Dominant White Spotting (*W*), Spritz RA, Ho L, Strunk KM, 148
- Insulin-like growth factor-1, 627

- Integrin(s)  
 $\beta 4$ , defects in expression, 31S  
complex  $\alpha_v\beta_3$ , 295  
expression on microvasculature, 381  
keratinocyte, 221
- Intercellular adhesion molecule-1, 726, 791
- Interleukin  
-1 receptor antagonist gene, polymorphism in, 387  
-1 $\alpha$ , 580  
-5 messenger RNA, 589  
-6 gene expression, 92  
-8 production, 509  
-10, 211
- Interleukin-1 $\alpha$  Is Released During Transfection of Keratinocytes, Komine M, Freedberg IM, Blumenberg M, 580
- Interleukin-5 Messenger RNA and Immunoreactive Protein Expression by Activated Eosinophils in Lesional Atopic Dermatitis Skin, Tanaka Y, Delaporte E, Dubucquoi S, Gounni AS, Porchet E, Capron A, Capron M, 589
- Interleukin-8 Production Is Regulated by Protein Kinase C in Human Keratinocytes, Chabot-Fletcher M, Breton J, Lee J, Young P, Griswold DE, 509
- Interleukin-10 Inhibits the Elicitation Phase of Allergic Contact Hypersensitivity, Kondo S, McKenzie RC, Sauder DN, 811
- International Symposium "Mast Cells in the Cytokine Network", The, Berlin, Germany, October 21-22, 1994, 616
- International Symposium on Epidermolysis Bullosa, Fine J-D, 839
- Investigative dermatology, evolution of, 3
- In Vivo* Effects of Interleukin-10 on Contact Hypersensitivity and Delayed-Type Hypersensitivity Reactions, Schwarz A, Grabbe S, Riemann H, Aragane Y, Simon M, Manon S, Andrade S, Luger TA, Zlotnik A, Schwarz T, 211
- Involucrin mRNA, 815
- Involucrin mRNA is More Abundant in Human Hair Follicles Than in Normal Epidermis, de Viragh PA, Huber M, Hohl D, 815
- Ionizing Radiation Induces Human Intercellular Adhesion Molecule-1 *In Vitro*, Behrends U, Peter RU, Hintermeier-Knabe R, Eißner G, Holler E, Bornkamm GW, Caughman SW, Degitz K, 726
- Irritants, skin, 493
- Isoenzymes,  $\alpha$  and  $\epsilon$ , 364
- Isolated human hair follicles, 191
- Ito, hypomelanosis of, 141S

## J

- Junctional epidermolysis bullosa, 39S
- Junctional Epidermolysis Bullosis: Defects in Expression of Epiligrin/Nicein/Kalinin and Integrin  $\beta 4$  That Inhibit Hemidesmosome Formation, Gil SG, Brown TA, Ryan MC, Carter WG, 31S

## K

- Kalinin, 39S
- Keloid fibroblasts, 560
- Keratin  
1, V1 end domain, 764  
9, 474  
19, 191  
family, cysteine-rich, in the hair cuticle, 310  
intermediate filament  
K10, 780  
structural features of, 19S  
2e  
gene, 286  
in IBS, 277  
type II, 282
- Keratinocyte(s)  
bryostatin-1 in, 364  
cultured  
apoptosis induction in, 330  
detachment of, 187  
functions of nerve growth factors and receptors in, 13  
human  
growth of, 647  
normal, 187

- substance P in, 605
- TGF- $\beta$ 1, 127, 554
- effect of TGF- $\beta$ 1 on re-epithelialization of, 554
- fatty-acid-deficient, 564
- functional and immunoreactive thrombomodulin expressed on, 825
- gene transfer in, 70S
- growth
  - factor expression in, 469
  - inhibition by heparin, 647
- human
  - epidermal, 547, 791
  - interleukin
    - 6 gene expression regulation, 92
    - 8 production regulation, 509
  - normal, 323
  - phorbol esters in, 687
- homeobox gene HOXC4, 341
- ICAM-1 phosphorothionate antisense oligonucleotides in, 569
- integrins in, 221
- in *vivo*, 330
- p53 gene expression in normal human, 323
- regulation of interleukin-6 gene expression in, 92
- synthesis of IGFBP-3, 627
- stimulated proliferation in human skin, 601
- transfection, interleukin-1 $\alpha$  release during, 580
- Keratinocyte Cell Line Synthesizes a Predominant Insulin-Like Growth Factor-Binding Protein (IGFBP-3) that Modulates Insulin-Like Growth Factor-I Action, A, Wraight CJ, Murashita MM, Russo VC, Werther GA, 627
- Keratoderma, non-epidermolytic, 764
- Keratosis
  - follicularis, 665
  - solar, in human skin, 500
- Kinetics of migration of antigen-bearing Langerhans cells in skin draining lymph nodes, 217
- KIT, 148
- K10, 780

## L

- LABD, 656
- Lamina lucida, 105-kDa autoantigen, 78
- Laminin 5 gene, 39S
- Langerhans cell(s)
  - antigen-bearing, 217
  - antigens, 775
  - cultured human epidermal, 54
  - epidermal
    - cultured human, 54
    - in AIDS patients, 593
    - lacking Birbeck granules, 807
  - human resident, 516
  - like interstitial dendritic antigen-presenting cells, 678
- Laser photothermolysis, 693
- Lesions, melanocytic, TGF $\alpha$  and, 707
- Lesional skin
  - atopic dermatitis, 589
  - of lichen planus patients, 347
  - psoriatic patients, 300
- Leukocyte(s)
  - antigen-DQB1\*03 alleles, 758
  - elastase, 89
- Lichen planus patients, lesional skin of, 347
- Ligand CD28, 539
- Linear IgA bullous dermatosis, 656
- Lipid(s)
  - cationic, 569
  - epidermal, peroxidation of, 151
  - transitions, low-temperature, 233
- Liposomes, 461
- Localization of Liposomes Containing a DNA Repair Enzyme in Murine Skin, Yarosh D, Bucana C, Cox P, Alas L, Kibitel J, Kripke M, 461
- Localization of mRNAs Representing Interstitial Collagenase, 72-kDa Gelatinase, and TIMP in Healing Porcine Burn Wounds, Stricklin GP, Li L, Nanney LB, 352

- Localization of the Gene for Darier Disease to a 5-cM Interval on Chromosome 12q, Ikeda S, Wakem P, Haake A, Ewing N, Polakowska R, Sarret Y, Trattner A, David M, Shohat M, Schroeder DW, Epstein EH Jr, Goldsmith LA, 478
- Locus, mapping, 178
- Low-temperature lipid transitions, 233
- Lupus erythematosus, systemic, 144S
- Ly 48, 290
- Lyme disease, 19
- Lymph nodes, skin, draining, 217
- Lymphoblastoid cells, 7
- Lymphoma, cutaneous T-cell, 134, 669
- Lysosomal compartment in Langerhans cells enriched in MHC-II, 516
- Lysyl
  - hydroxylase, 228
  - oxidase, 228

## M

- Macrophages, dermal, 678
- Mammalian connexins in human skin, 240
- Marfan syndrome, 58S
- Mast cell(s)
  - immature, monocyte-derived, 504
  - numbers, 797
  - protease 1, rat, 84
- Matrilysin (PUMP) Correlates with Dermal Invasion During Appendageal Development and Cutaneous Neoplasia, Karelina TV, Goldberg GI, Eisen AZ, 482
- Matrix, extracellular, components, 797
- Melanin biosynthesis, 820
- Melanocytes, human, inhibition of proliferation, 148
- Melanocytic lesions, TGF $\alpha$ , 707
- Melanogenesis, epidermal, 97
- Melanogenic complex, 196
- Melanoma
  - cells
    - human cultured, 335
    - murine, 820
  - cutaneous, 112S
  - human, 117S
  - mole syndrome, 122S
  - uveal, 202
- Membrane, basement, 637
- Metabolism, cell, 84
- Metalloproteinase Activation Cascade After Burn Injury: A Longitudinal Analysis of the Human Wound Environment, Young PK, Grinnell F, 660
- MHC-II-enriched compartments, 516
- Microvascular endothelial
  - adhesion molecules, 300
  - cells, human, 23, 295
- Microvasculature, 381
- Migration
  - of antigen-bearing Langerhans cells in skin draining lymph nodes, phenotype and kinetics, 217
  - thy-1<sup>+</sup> dendritic epidermal cells, 290
- Migration of Thy-1<sup>+</sup> Dendritic Epidermal Cells (Thy-1<sup>+</sup>DEC): Ly48 and TNF- $\alpha$  Are Responsible for the Migration of Thy-1<sup>+</sup>DEC to the Epidermis, Tamaki K, Saitoh A, Gaspari AA, Yasaka N, Furue M, 290
- Minoxidil, 122
- Molecular
  - genetics, 2S
  - level of stratum corneum moisturization, 730
- Molecular Basis of Human Piebaldism, Spritz RA, 136S
- Molecular Basis of Metal Recognition by T Cells, The, Sinaglia F, 41
- Molecular Basis of Oculocutaneous Albinism, Oetting WS, King RA, 131S
- Molecular Basis of the Dystrophic and Junctional Forms of Epidermolysis Bullosa: Mutations in the Type VII Collagen and Kalinin (Laminin 5) Genes, Uitto J, Pulkkinen L, Christiano AM, 39S
- Molecular Biology of Human Papillomavirus Infection and Oncogenesis, Androphy EJ, 248
- Molecular Pathology of the Elastin Fibers, Christiano AM, Uitto J, 53S
- Molecular Subtyping of *Borrelia burgdorferi* in Erythema Migrans and Acrodermatitis Chronica Atrophicans, Wienecke R, Zöchling N, Neubert U, Schlüpen E-M, Meurer M, Volkenandt M, 19

## Molecules

- adhesion, microvascular endothelial, 300
- B7 costimulatory, 54
- DR $\alpha$  and DQ $\alpha$ , 376
- Monocytes, human, 504
- Mononuclear cells, peripheral blood, 73
- Morphogenesis, mouse skin, 116
- Mouse
  - C3H/HeN, C3H/HeJ, Balb/c, 797
  - C3H/Tif hr/hr, 97
  - dominant white spotting (*W*), 148
  - epidermis
    - cornified envelope in, 780
    - normal, 834
  - genetically diabetic, 469
  - hair follicle(s), 107, 122
  - hairless, 801
  - immunodeficient, 391
  - skin morphogenesis, 116
  - transgenic, human elastin gene promoter activity in, 632
  - 230-kDa bullous pemphigoid antigen gene, 651
  - vibrissae hair growth, 306
- Mouse 230-kDa Bullous Pemphigoid Antigen Gene: Structural and Functional Characterization of the 5'-Flanking Region and Interspecies Conservation of the Deduced Amino-Terminal Peptide Sequence of the Protein, Sawamura D, Sato T, Kon A, Harada, Nomura K, Hashimoto I, Tamai K, Uitto J, 651
- mRNA
  - cytokines, 834
  - induction, 493
  - involucrin, 815
  - levels in *alopecia areata*, 530
  - localization of representing interstitial collagenase, 72-kDa gelatinase, and TIMP, 352
  - spliced, 593
  - TGF- $\beta_1$ , for 684
  - Th2 cytokine, expression of, 669
- Multiple mole-melanoma syndrome, 122S
- Murine
  - dermal cells, cultured, 162
  - dermis, 678
  - epidermal V $\gamma$ 1/V $\delta$ 6-TCR<sup>+</sup> hybridoma, 544
  - melanoma cells, 820
  - model for inducing and manipulating hair follicle regression, 143
  - telogen and anagen skin, 112
- Murine Model for Inducing and Manipulating Hair Follicle Regression (Catagen): Effects of Dexamethasone and Cyclosporin A, A, Paus R, Handjiski B, Czarnetzki BM, Eichmüller S, 143
- Mutation(s)
  - keratin 1, 764
  - keratin 2c gene, 286
  - keratin 9, 474
- Mutation in the V1 End Domain of Keratin 1 in Non-Epidermolytic Palmar-Plantar Keratoderma, A, Kimonis V, DiGiovanna JJ, Yang J-M, Doyle SZ, Bale SJ, Compton JG, 764
- Mutations of Keratin 9 in Two Families with Palmoplantar Epidermolytic Hyperkeratosis, Bonifas JM, Matsumura K, Chen MA, Berth-Jones J, Hutchinson PE, Zloczower M, Fritsch PO, Epstein EH Jr, 474
- Mycosis fungoides, 29, 34
- Mycosis Fungoides Exhibits a Th1-Type Cell-Mediated Cytokine Profile Whereas Sezary Syndrome Expresses a Th2-Type Profile, Saed G, Fivenson DP, Naidu Y, Nickoloff BJ, 29

## N

- NADPH-diaphorase activity, 112
- Nasal gland development, 116
- Neonatal foreskin, 381
- Neoplasia, 482, 126S
- Nervi, dysplastic, 707
- Nervous system, central, imaging, 154S
- Neutrophil(s)
  - elastase, 155
  - TNF $\alpha$ -stimulated, 187
- Nevoid basal cell carcinoma syndrome, 178, 126S
- Nevoid Basal Cell Carcinoma Syndrome, Bale AE, Gailani MR, Leffell DJ, 126S

## Nevus(i)

- atypical, 202
- dysplastic, syndrome, 96S
- Nicein, defects in expression, 31S
- 97-kD antigen, 656
- Nitric oxide, 112
- Nodes, lymph, draining skin, 217
- Non-epidermolytic Palmar-Plantar keratoderma, 764
- Non-melanoma skin cancer, 747
- Normal
  - dermal fibroblasts, 684
  - keratinocytes, human, cultured, 187
- Normalization of Essential-Fatty-Acid-Deficient Keratinocytes Requires Palmitic Acid, Marcelo CL, Rhodes LM, Dunham WR, 564
- Novel 105-kDa Lamina Lucida Autoantigen: Association with Bullous Pemphigoid, A, Cotell SL, Lapiere JC, Chen JD, Iwasaki T, Krusinski PA, Chan LS, Woodley DT, 78
- Nucleotide sequence variation, 376

## O

- Occlusion Lowers Cytokine mRNA Levels in Essential Fatty Acid-Deficient and Normal Mouse Epidermis, But Not After Acute Barrier Disruption, Wood LC, Elias PM, Sequeira-Martin SM, Grunfeld C, Feingold KR, 834
- Ocular Lens Findings in Patients Treated with PUVA, Stern RS, Phototherapy Follow-Up Study, 534
- Oculocutaneous albinism
  - molecular basis of, 131S
  - prenatal diagnosis of, 104
- Of Genes and Antigens: The Inheritance of Psoriasis, Elder JT, Henseler T, Christophers E, Voorhees JJ, Nair RP, 150S
- Oligodeoxynucleotide, 148
- Oligonucleotides, phosphorothionate antisense, ICAM-1, in keratinocytes, 569
- Oligosaccharides, angiogenic, of hyaluronan, 576
- Oncogene(s)
  - in multistage carcinogenesis, 90S
  - rasactivation, 117S
- Oncogenesis, 248
- 105-kDa lamina lucida autoantigen, novel, 78
- 1,25-dihydroxyvitamin D<sub>3</sub>, 323
- Opposite Effects of Prolactin and Corticosterone on the Expression and Activity of
- 3 $\beta$ -Hydroxysteroid Dehydrogenase/ $\delta^5$ - $\delta^4$  Isomerase in Rat Skin, Couet J, Martel C, Labrie Y, Luo S, Simard J, Labrie F, 60
- Ornithine decarboxylase gene, human, expression suppression, 687
- Overlapping Distribution of Autoantibody Specificities in Paraneoplastic Pemphigus and Pemphigus Vulgaris, Joly P, Thomine E, Gilbert D, Verdier S, Delpech A, Prost C, Lebbe C, Lauret P, Tron F, 65
- Oxidase, lysyl, 228

## P

- Palmar-plantar non-epidermolytic keratoderma, 764
- Palmitic acid, 564
- Palmoplantar epidermolytic hyperkeratosis, 474
- Papillomavirus
  - induced warts in rabbits, 376
  - infection, human, 248
- Paraneoplastic pemphigus, 65
- PCR/DGGE, 34
- PDGF  $\alpha$  receptors, elevated levels, 560
- Pemphigoid, bullous, 73, 78, 651
- Pemphigus
  - paraneoplastic, 65
  - foliaceus sera, 173
  - vulgaris, 65, 168, 173
- Pemphigus Vulgaris Antigen Lacks Biochemical Properties Characteristic of Classical Cadherins, Plott RT, Amagai M, Udey MC, Stanley JR, 168
- Peptides, synthetic, 73
- Perilesional skin, 300
- Peripheral Blood Mononuclear Cells from Patients with Bullous Pemphigoid Have an Increased Frequency of Response to Synthetic Peptides Encoded by BPAG1, Rico MJ, Streilein RD, Hall RP III, 73



Peroxidation, epidermal lipid, 151

p53

- gene, 323, 500
- protein, 493, 500

Phenotype of migration, 217

Phenylacetate, 335

Phenylbutyrate, 335

Phorbol esters in human keratinocytes, 364, 687

Phosphorothionate antisense oligonucleotides, in keratinocytes, 569

Photoaging, 797

Photodamaged skin, 182

Photoimmunoprotection, differential, by sunscreens, 801

Photothermolysis, laser, 693

Piebaldism, 148, 136S

Pigmentosum xeroderma, related disorders, 96S

Plantar development, 116

Plasmids, shuttle vector, 7

Platelet-activating factor, 187

Polymerase chain reaction, 34

Polymorphism in the interleukin-1 receptor antagonist gene, 387

Porcine burn wounds, 352

Post-Transcriptional Regulation of Interleukin-6 Gene Expression in Human Keratinocytes by Ultraviolet B Radiation, de Vos S, Brach M, Budnik A, Grewe M, Herrmann F, Krutmann J, 92

Post-Transcriptional Suppression of Human Ornithine Decarboxylase Gene Expression by

Phorbol Esters in Human Keratinocytes, Ruhl KK, Pomidor MM, Rhim JS, Tuan RS, Hickok NJ, 687

Potential Laboratory Test for Dysplastic Nevus Syndrome: Ultraviolet Hypermutability of a Shuttle Vector Plasmid, A, Moriwaki S-I, Tarone RE, Kraemer KH, 7

Practical Guide to Human Cancer Genetics, A, by SV Hodgson, ER Maher, Cambridge University Press, Cambridge, 1993, *book review*, Kraemer K, 744

Prenatal Diagnosis of Oculocutaneous Albinism by Analysis of the Fetal Tyrosinase Gene, Shimizu H, Niizeki H, Suzumori K, Aozaki R, Kawaguchi R, Hikiji K, Nishikawa T, 104

Preputial gland, 721

Prolactin, 60

Protein

- kinase C, 364, 509
- p53, 500

Proteinase, 155

Psoriasis Binds Calcium and Is Upregulated by Calcium to Levels that Resemble Those Observed in Normal Skin, Hoffmann HJ, Olsen E, Etzerodt M, Madsen P, Thøgersen HC, Kruse T, Celis JE, 370

Psoriatic

- epidermis, 89
- patients, 300
- skin, 829

PUVA therapy, 534

## Q

Quantitative Assessment of Epidermal Melanogenesis in C3H/Tif hr/hr Mice Treated with Topical Furocoumarins and UVA Radiation, Kinley JS, Moan J, Dall'Aqua F, Young AR, 97

## R

Rabbits, papillomavirus-induced warts in, 376

Radiation

- ionizing, 726
- ultraviolet, 107S
- UVA, 97, 534
- UVB, 92

ras Oncogene Activation Does Not Induce Sensitivity to Natural Killer Cell-Mediated Lysis in Human Melanoma, van Elsas A, van Deursen E, Wielders R, Schrier PI, 117S

Rat skin, blood vessel numbers in, 576

Rat Mast Cell Protease I Alters Cell Metabolism, Chan IJ, Tharp MD, 84

Re-epithelialization

- of cutaneous wounds, 221
- of human keratinocytes, effect of TGF- $\beta$ 1 on, 554

Reappraisal of Histologic Features of the Acute Cutaneous Graft-Versus-Host Reaction Based on an Allogeneic Rodent Model, Horn TD, Bauer DJ, Vogelsang GB, Hess AD, 206

Receptor  
gene(s)

- antagonist, interleukin-1, 387
- retinoic acid, 116
- PDGF  $\alpha$ , elevated levels in keloid fibroblasts, 560
- T-cell, V $\beta$  gene usage, 751

Reductase, thioredoxin, 820

Regenerative epidermal growth, 601

Relationship Between Ultraviolet Radiation-Induced Immunosuppression and Carcinogenesis, Streilein JW, Taylor JR, Vincek V, Kurimoto I, Richardson J, Tie C, Medema J-P, Golomb C, 107S

Response of a Murine Epidermal V $\gamma$ 1/V $\delta$ 6-TCR<sup>+</sup> Hybridoma to Heat Shock Protein HSP-60, Reardon CL, Vollmer M, Cranfill R, van der Zee R, O'Brien RL, Born WK, 544

Retinaldehyde, topical, 770

Retinoic acid

- Langerhans cell antigen presentation, upregulation, 775
- mouse skin morphogenesis and, 116
- receptor genes, 116

Retinoic Acid and Mouse Skin Morphogenesis. I. Expression Pattern of Retinoic Acid Receptor Genes During Hair Vibrissa Follicle, Plantar, and Nasal Gland Development, Viallet JP, Dhouailly D, 116

Retinoic Acid Upregulates Human Langerhans Cell Antigen Presentation and Surface Expression of HLA-DR and CD11c, a  $\beta$ 2 Integrin Critically Involved in T-Cell Activation, Meunier L, Bohjanen K, Voorhes JJ, Cooper KD, 775

Reviewers for 1993, 868

Ribozymes for gene therapy development, 85S

Rodent model, allogeneic, 206

Role of Oncogenes and Tumor Suppressor Genes in Multistage Carcinogenesis, Yuspa SH, Dlugosz AA, Cheng CK, Denning MF, Tennenbaum T, Glick AB, Weinberg WC, 90S Scar tissue, hypertrophic, 684

## S

Sclerosis fibroblasts, systemic, cultured, 359

Sebaceous glands, 60

Sebocytes, preputial gland, 721

Second Annual Meeting of the Canadian Society for Investigative Dermatology, September 18, 1994, 270

Selective Accumulation of T Cells According to T-Cell Receptor V $\beta$  Gene Usage in Skin Cancer, Ohmen JD, Moy RL, Zovich D, Lieberman A, Wzykowski RJ, Sullivan L, Modlin RL, Uyemura K, 751

Selective Upregulation of Intercellular Adhesion Molecule (ICAM-1) by Ultraviolet B in Human Dermal Microvascular Endothelial Cells, Cornelius LA, Sepp N, Li L-J, Degitz K, Swerlick RA, Lawley TJ, Caughman SW, 23

Sensitization, contact, 524

Sera, pemphigus foliaceus, 173

72-kDa gelatinase, 352

Severity of Alopecia Areata Is Associated with a Polymorphism in the Interleukin-1 Receptor Antagonist Gene, Tarlow JK, Clay FE, Cork MJ, Blakemore AIF, McDonagh AJG, Messenger AG, Duff GW, 387

Sézary syndrome, 29, 34, 669

Shuttle vector plasmid, ultraviolet hypermutability, 7

Siemens ichthyosis bullosa, 277, 282, 286

Skin

- anagen, 112
- cancer
  - non-melanoma, 747
  - solar keratosis in, 500
  - T-cells, receptor V $\beta$  gene usage, 751
- carcinogenesis, 102S
- derived amniotic fluid cells, 674
- disease
  - T-cell-mediated, 539
  - vesiculobullous, 31S
- draining of lymph nodes, 217
- genetically modified, 76S
- human
  - CRABP II expression in, 785
  - connexins, mammalian, topography of, 240

- keratinocyte proliferation, stimulation of, 601
- solar keratosis in, 500
- topical retinaldehyde on, 770
- tumors, epithelial, 341
- irritants, 493
- lesional
  - atopic dermatitis, 589
  - of psoriatic patients, 300
- normal, calcium upregulates psoriasis to resemble, 370
- photodamaged, 182
- psoriatic, 829
- rat, blood vessel numbers in, 576
- telogen, 112
- Society for Investigative Dermatology,
  - Acknowledgments, 858
  - Meeting Minutes, 859
- Solar keratosis in human skin, 500
- Somatic gene therapy, experimental model for, 391
- Specific Binding and Lack of Growth-Promoting Activity of Substance P in Cultured Human Keratinocytes, *letter*, Kemény L, von Restorff B, Michel G, Ruzicka T, 605
- Spliced mRNA, 593
- Stratum corneum, 233, 730
- Stratum Corneum Moisturization at the Molecular Level, Rawlings AV, Scott IR, Harding CR, Bowser PA, 730
- Stromal cells, 162
- Structural Features of Keratin Intermediate Filaments, Steinert PM, North ACT, Parry DAD, 19S
- Structural genes, 593
- Structure and Organization of the Human Transglutaminase 3 Gene: Evolutionary Relationship to the Transglutaminase Family, Kim I-G, Lee S-C, Lee J-H, Yang J-M, Chung S-I, Steinert PM, 137
- Substance P in cultured human keratinocytes, 605
- Sunscreen ingredients, 801
- Suppressive Effect of Antioxidants on Intercellular Adhesion Molecule-1 (ICAM-1) Expression in Human Epidermal Keratinocytes, Ikeda M, Schroeder KK, Mosher LB, Woods CW, Akeson AL, 791
- Synthetic peptides, 73
- Systemic sclerosis fibroblasts, cultured, 359
- Systemic Lupus Erythematosus: Considerations for a Genetic Approach, Harley JB, Sheldon P, Neas B, Murphy S, Wallace DJ, Scofield RH, Shaver TS, Hardgrave-Moser KL, 144S

## T

- T-cell(s)
  - activation, 775
  - adhesion, 569
  - hybridomas, trinitrophenol reactive, 42
  - lines, 347
  - lymphoma, cutaneous, 669
  - mediated skin disease, 539
  - proliferative response, 49
  - receptor
    - $\gamma\delta$ -bearing cells, 347
    - V $\beta$  gene usage, 751
    - V $\beta$ 1, 743
  - selective accumulation, 751
- T-Cell Lines Derived from Lesional Skin Lichen Planus Patients Contain a Distinctive Population of T-Cell Receptor  $\gamma\delta$ -Bearing Cells, Gadenne A-S, Strucke R, Dunn D, Wagner M, Bleicher P, Bigby M, 347
- T-Cell Receptor V $\beta$ -Family Usage in Cutaneous Malignancies, *letter*, Haffner A, Zepter K, Dummer R, Wood GS, 743
- TGF- $\beta$ 1 Gene Expression in Cultured Human Keratinocytes Does Not Decrease with Biologic Age, Compton C, Tong Y, Trookman N, Zhao H, Roy D, 127
- TGF- $\beta$ 1 Stimulates Expression of Keratinocyte Integrins During Re-Epithelialization of Cutaneous Wounds, Gailit J, Welch MP, Clark RAF, 221
- Telogen skin, 112
- T4 endonuclease, 461
- TGF
  - $\alpha$ , 707
  - $\beta$ 1, 554
- Th1&- and Th2-type cell-mediated cytokine profile, 29
- Th2 Cytokine mRNA Expression in Skin in Cutaneous T-Cell Lymphoma, Vowels BR, Lessin SR, Cassin M, Jaworsky C, Benoit B, Wolfe JT, Rook AH, 669
- Therapeutic Promise of Molecular Genetics, Ledley FD, 2S
- Therapy, gene, for ribozymes, development of, 85S
- Thioredoxin Reductase Induction Coincides with Melanin Biosynthesis in Brown and Black Guinea Pigs and in Murine Melanoma Cells, Schallreuter KU, Lemke KR, Hill HZ, Wood JM, 820
- 3 $\beta$ -hydroxysteroid dehydrogenase/ $\delta^5$ - $\delta^4$  isomerase in rat skin, 60
- Thrombomodulin, immunoreactive, 825
- Thy-1<sup>+</sup> dendritic epidermal cells, 290
- Thymic nurse cells, 162
- Thyroid hormone, 60
- TIMP, 352
- Tissue, scar, hypertrophic, 684
- TNF- $\alpha$ 
  - migration of thy-1<sup>+</sup> DEC to the epidermis and, 290
  - stimulated neutrophils, 187
- Topical
  - anti-inflammatory agents, 642
  - furocoumarins, 97
  - retinaldehyde, 770
- Topical Retinaldehyde on Human Skin: Biologic Effects and Tolerance, Saurat JH, Didierjean L, Masgrau E, Piletta PA, Jaconi S, Gruaz DC, Gumowski D, Masouyé I, Salomon D, Siegenthaler G, 770
- Topography of Mammalian Connexins in Human Skin, Salomon D, Masgrau E, Vischer S, Ulrich S, Dupont E, Sappino P, Saurat J-H, Meda P, 240
- TP53 Tumor Suppressor Gene and Skin Carcinogenesis, Basset-Séguin N, Moles J-P, Mils V, Dereure O, Guilhaud J-J, 102S
- Transfection of keratinocytes, release of interleukin-1 $\alpha$  during, 580
- Transgenic mice, human elastin gene promoter activity in, 632
- Transglutaminase
  - bcl-2 and "tissue", 829
  - 3 gene, human, 137
- Translocation and Downregulation of Protein Kinase C Isoenzymes- $\alpha$  and  $\epsilon$  by Phorbol Ester and Bryostatin-1 in Human Keratinocytes and Fibroblasts, Reynolds NJ, Baldassare JJ, Henderson PA, Shuler JL, Ballas LM, Burns DJ, Moomaw CR, Fisher GJ, 364
- Trichothiodystrophy, 97S, 154S
- Trichothiodystrophy: Clinical Spectrum, Central Nervous System Imaging, and Biochemical Characterization of Two Siblings, Chen E, Cleaver JE, Weber CA, Packman S, Barkovich AJ, Koch TK, Williams ML, Golabi M, Price VH, 154S
- Trinitrophenol Reactive T-Cell Hybridomas Recognize Antigens that Require Antigen Processing, Ma J, Wang J-H, Sy M-S, Guo Y-J, Hauser C, Bigby M, 42
- Tumor(s)
  - of epithelial skin, 341
  - suppressor genes
    - multistage carcinogenesis in, 90S
    - p53, 500, 102S
    - TP53, 102S
  - 12q chromosome, 478, 665
- 21st Annual Meeting of the Society of Cutaneous Research, Leiden, The Netherlands, April 21-23, 1994, 258
- 230-kDa bullous pemphigoid antigen gene, mouse, 651
- Type VII collagen, 637, 39S
- Type VII Collagen Specifically Binds Fibronectin via a Unique Subdomain Within the Collagenous Triple Helix, Lapiere J-C, Chen JD, Iwasaki T, Hu L, Uitto J, Woodley DT, 637
- Tyrosinase
  - and related proteins, high-molecular-weight forms of, 196
  - gene, fetal, 104

## U

- Ultrastructural Clues to Genetic Disorders of Skin: The Dermal-Epidermal Junction, Eady RAJ, McGrath JA, McMillan JR, 13S
- Ultrastructural Identification of Basic Abnormalities as Clues to Genetic Disorders of the Epidermis, Anton-Lamprecht I, 6S
- Ultraviolet
  - A radiation, 92, 97, 493, 534
  - B
    - erythral sensitivity, 151

- induced
  - cell death, 547
  - erythema, 642
  - pigmentation, 642
- irradiation, 493
- radiation, post-transcriptional regulation of interleukin-6 gene expression in human keratinocytes by, 92
- selective upregulation of ICAM-1 by, 23
- hypermutability of a shuttle vector plasmid, 7
- radiation-induced immunosuppression, 107S
- Up-Regulation of Elafin/SKALP Gene Expression in Psoriatic Epidermis, Nonomura K, Yamanishi K, Yasuno H, Nara K, Hirose S, 89
- Urocanic acid, epidermal *cis*, formation, 801
- Use of  $\gamma$ -Glutamyl Transpeptidase Activity as a Marker of Hair Cycle and Anagen Induction in Mouse Hair Follicles, Kawabe TT, Kubicek MF, Johnson GA, Buhl AE, 122
- UVA radiation, 92, 97, 493, 534
- UVB
  - erythema sensitivity to, 151
  - induced
    - cell death, 547
    - erythema, 642
    - irradiation, 493
    - pigmentation, 642
  - radiation, post-transcriptional regulation of interleukin-6 gene expression in human keratinocytes by, 92
  - selective upregulation of ICAM-1 by, 23
- Uveal melanoma, 202

## V

- Vascular response, differential, to laser photothermolysis, 693
- Vectors, 63S

- Vesiculobullous skin disease, 31S
- V $\gamma$ 1/V $\delta$ 6n-TCR<sup>+</sup> hybridoma, murine epidermal, 544
- Vibrissae, mouse, 306
- Viral carcinogenesis, 376
- V1 end domain of keratin 1, 764
- Vulgaris pemphigus, 65, 173

## W

- (W), mouse dominant white spotting, 148
- Warts, papillomavirus-induced in rats, 376
- What Is an Eponym? Exemplified with Remarks on Theodor Langhans, Friedrich Merkel, and Paul Langerhans, Three Contemporary 19th-Century Pathologists, *letter*, Holubar K, Kopera D, 257
- White spotting (W), 148
- Whole-organ cultures, 318
- Wound(s)
  - burn(s)
    - fluid, 155
    - healing, 488
    - porcine, 352
  - cutaneous, re-epithelialization, 221
  - healing, reduced and delayed, in the genetically diabetic mouse, 469
  - environment, analysis, 660

## X

- Xeroderma Pigmentosum and Related Disorders: Examining the Linkage Between Defective DNA- Repair and Cancer, Kraemer KH, Levy DD, Parris CN, Gozukara EM, Moriwaki S, Adelberg S, Seidman MM, 96S